

Technical Data Sheet

Material Information: EPIMIX IMP NC is ethylene-octene copolymer functionalized with maleic anhydride (MAH).


Notes: EPIMIX IMP NC can be blended on standard extruders with Polyamide 6 or 6,6 without the need of processing conditions adjustments. It is available in a dust-free pellet form.

COMPONENT	CASRN	Concentration
Polyethylene copolymer	Not Hazardous	> 99.0 %
Maleic anhydride	108-31-6	< 0.1 %


PHYSICAL AND CHEMICAL PROPERTIES

Relative Density (water = 1)	0.85 - 0.97
Physical state	Solid pellets
Color	White
Water solubility	Insoluble
Glass Transition Temperature (°C)	below -50°C

PRODUCT PERFORMANCE



Impact resistance and flexural modulus of Polyamide 6 compound with increasing addition level of EPIMIX IMP NC Impact Modifier.



Impact resistance of Polyamide 6,6 compound with increasing addition level of EPIMIX IMP NC Impact Modifier.

The information in this data sheet is given in good faith but without warranty. These data do not release you from the obligation to test our products as to their suitability for the intended processes and uses. The application use and processing of our products and the products manufactured by you are beyond our control. Therefore, entirely your own responsibility. Eplamid, Eplon, Epopen and Epimix are registered trademarks of Epsan Plastik San. Ve Tic. As.

F.06.01; Rev:0 / 15.10.2018